

# 兔抗 CHST13 多克隆抗体

中文名称：兔抗 CHST13 多克隆抗体

英文名称：Anti-CHST13 rabbit polyclonal antibody

别 名：C4ST3

抗 原：CHST13

储 存：冷冻 (-20°C) 避光

宿 主：Rabbit

反应种属：Human

相关类别：一抗

标记物：Unconjugate

克隆类型：Unconjugate

## 技术规格

<b>Background:</b>	The protein encoded by this gene belongs to the sulfotransferase 2 family. It is localized to the golgi membrane, and catalyzes the transfer of sulfate to the C4 hydroxyl of beta-1,4-linked N-acetylgalactosamine (GalNAc) flanked by glucuronic acid residue in chondroitin. Chondroitin sulfate constitutes the predominant proteoglycan present in cartilage and is distributed on the surfaces of many cells and extracellular matrices.
<b>Applications:</b>	WB, IHC
<b>Name of antibody:</b>	CHST13
<b>Immunogen:</b>	Synthesized peptide derived from internal of human CHST13.
<b>Full name:</b>	carbohydrate (chondroitin 4) sulfotransferase 13

Synonyms :	C4ST3
SwissProt:	Q8NET6
IHC positive control:	Human testis tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	39 kDa
WB Positive control:	K562 cells lysate
WB Recommended dilution:	500-3000



