



兔抗 MYLK 多克隆抗体

中文名称: 兔抗 MYLK 多克隆抗体

英文名称: Anti-MYLK rabbit polyclonal antibody

别 名: KRP; AAT7; MLCK; MLCK1; MYLK1; smMLCK; MLCK108; MLCK210; MSTP083

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗 原: MYLK

反应种属: Human

标 记 物: Unconjugate

克隆类型: Unconjugate

技术规格

Background:

This gene, a muscle member of the immunoglobulin gene superfamily, encodes myosin light chain kinase which is a c alcium/calmodulin dependent enzyme. This kinase phosphor ylates myosin regulatory light chains to facilitate myosin int eraction with actin filaments to produce contractile activity. This gene encodes both smooth muscle and nonmuscle is oforms. In addition, using a separate promoter in an intron in the 3' region, it encodes telokin, a small protein identic al in sequence to the C-terminus of myosin light chain kin ase, that is independently expressed in smooth muscle and functions to stabilize unphosphorylated myosin filaments. A pseudogene is located on the p arm of chromosome 3. Four transcript variants that produce four isoforms of the c alcium/calmodulin dependent enzyme have been identified as well as two transcripts that produce two isoforms of tel okin. Additional variants have been identified but lack full I



全国订货电话 4008-723-722

	ength transcripts.
Applications:	WB
Name of antibody:	MYLK
Immunogen:	Synthesized peptide derived from internal of human MYLK.
Full name:	myosin light chain kinase
Synonyms:	KRP; AAT7; MLCK; MLCK1; MYLK1; smMLCK; MLCK108; MLC K210; MSTP083
SwissProt:	Q15746
WB Predicted band size:	211 kDa
WB Positive control:	HepG2 cells lysate
WB Recommended dilution:	500-3000





