

## 兔抗 TRIM23 多克隆抗体

中文名称：兔抗 TRIM23 多克隆抗体

英文名称：Anti-TRIM23 rabbit polyclonal antibody

别名：ARD1; ARFD1; RNF46

抗原：TRIM23

宿主：Rabbit

储存：冷冻（-20℃）

相关类别：一抗

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

#### Background:

The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. This protein is also a member of the ADP ribosylation factor family of guanine nucleotide-binding family of proteins. Its carboxy terminus contains an ADP-ribosylation factor domain and a guanine nucleotide binding site, while the amino terminus contains a GTPase activating protein domain which acts on the guanine nucleotide binding site. The protein localizes to lysosomes and the Golgi apparatus. It plays a role in the formation of intracellular transport vesicles, their movement from one compartment to another,

|                                    |  |
|------------------------------------|--|
|                                    | and phospholipase D activation. Three alternatively spliced transcript variants for this gene have been described. |
| <b>Applications:</b>               | ELISA, IHC   |
| <b>Name of antibody:</b>           | TRIM23   |
| <b>Immunogen:</b>                  | Fusion protein of human TRIM23   |
| <b>Full name:</b>                  | tripartite motif containing 23   |
| <b>Synonyms:</b>                   | ARD1; ARFD1; RNF46   |
| <b>SwissProt:</b>                  | P36406   |
| <b>ELISA Recommended dilution:</b> | 5000-10000   |
| <b>IHC positive control:</b>       | Human colorectal cancer and human tonsil   |
| <b>IHC Recommend dilution:</b>     | 35-200   |



