

兔抗 CCL7 多克隆抗体

中文名称:	兔抗 CCL7 多克隆抗体
英文名称:	Anti-CCL7 rabbit polyclonal antibody
别名:	FIC; MARC; MCP3; NC28; MCP-3; SCYA6; SCYA7
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	CCL7
相关类别:	一抗
反应种属:	Human
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	This gene encodes monocyte chemotactic protein 3, a secreted chemokine which attracts macrophages during inflammation and metastasis. It is a member of the C-C subfamily of chemokines which are characterized by having two adjacent cysteine residues. The protein is an in vivo substrate of matrix metalloproteinase 2, an enzyme which degrades components of the extracellular matrix. This gene is part of a cluster of C-C chemokine family members on chromosome 17q.
Applications:	ELISA, IHC
Name of antibody:	CCL7
Immunogen:	Synthetic peptide of human CCL7
Full name:	chemokine (C-C motif) ligand 7

Synonyms :	FIC; MARC; MCP3; NC28; MCP-3; SCYA6; SCYA7
SwissProt:	P80098
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human lung cancer and Human thyroid cancer
IHC Recommend dilution:	25-100

